



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/896/162/05/13/0461

Is given to the following model of personal protective equipment :

**Issued to :** NANTONG FOREIGN TRADE NATIVE PRODUCE & ANIMAL BY PRODUCTS CO.,LTD  
41E QINGNIAN ROAD, NANTONG, JIANGSU  
CHINA

**Distributor :** /

**Product reference :** N693

**Description :**

**PPE Type :** *Protective gloves against mechanical risks.*

**Reference standard :** *EN 388 : 2003.*

**Category :** *II*

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

**Issued in Lyon by** Lionel Gaudillere  
Head of CE marking

**Date of issue :** May 24th, 2013



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE  
Tel : 33.472.761.010 - Fax : 33.472.761.000 - email : ctclyon@ctcgroup.com - www.ctc.fr  
Comité professionnel de développement économique cuir chaussure maroquinerie  
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726





In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com) - [www.ctc.fr](http://www.ctc.fr)

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/896/162/05/13/0461

To the following model of personal protective equipment :

\* protective glove against mechanical risks.

\* reference of the model : N693

\* responsible for placing on the market :

**NANTONG FOREIGN TRADE NATIVE PRODUCE & ANIMAL BY  
PRODUCTS CO.,LTD**

41E QINGNIAN ROAD, NANTONG, JIANGSU

CHINA

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on May 24th, 2013

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01  
 Reference : N693  
 Basic Model  
 Dated : MAY, 2013

nitrile dipping glove

### Available sizes :

7 8 9 10

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	blue	nitrile		
	beige	cotton	32	
BACK	blue	nitrile		
	beige	cotton	32	
LINING				
CUFF	yellow	PU		
	beige	cotton	32	
BINDING				



## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACh regulation (552/2009/EC and associated revisions)

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60386-13		SH60386-13, SH60638-13
Azo	SH60386-13		
EN 388	SH60386-13		

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	1	1	1

The levels of performance have been measured on the palm




### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: N693
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**



**NANTONG FOREIGN TRADE NATIVE PRODUCE & ANIMAL BY  
PRODUCTS CO.,LTD**

**MANUFACTURER'S TECHNICAL FILE**

<b>Reference of the product</b>	<b>:</b>	<b>N693</b>
<b>Technical file index</b>	<b>:</b>	<b>01</b>
<b>Last update</b>	<b>:</b>	<b>MAY, 2013</b>

## IDENTIFICATION

Reference of the product : N693  
Technical file index : 01  
Last update : MAY, 2013

### **CE Type Examination Applicant :**

NANTONG FOREIGN TRADE NATIVE PRODUCE & ANIMAL BY  
PRODUCTS CO.,LTD

41E QINGNIAN ROAD, NANTONG, JIANGSU

CHINA

tel : 0086-513-83560252

fax : 0086-513-83568494

### **Manufacturer :**

NANTONG PREMIER SAFETY CO.,LTD

38 GUOQIANG ROAD,NANTONG, JIANGSU

CHINA

tel: 0086-513-85665977

fax: 0086-513-85663977

## GLOVE DESCRIPTION

### **Glove description :**

nitrite dipping glove

### **Visual description:**



### **Available sizes :**

Minimum length of glove (mm)	Sizes
278	7
284	8
291	9
295	10

### **Glove constitution :**

	Reference	Colour	Material	Surfacic mass	Gauges	Thickness
PALM		blue	nitrile	300g/m2		
		beige	cotton	200g/m2	32	
BACK		blue	nitrile	300g/m2		
		beige	cotton	200g/m2	32	
LINING						
CUFF		yellow	PU	200g/m2		
		beige	cotton	200g/m2	32	
BINDING						



# PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

## GENERAL REQUIREMENTS

### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 5  
PH of glove and lining is greater than 3.5 and lower than 9.5 : yes  
Chromium VI lower than the detection limit : conform  
Size : not conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### **Mechanical hazard EN 388 : 2003**

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	1
Tear strength resistance	1
Puncture resistance	1

## TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60386-13		SH60386-13, SH60638-13
Azo	SH60386-13		
EN 388	SH60386-13		

## MARKING - PACKAGING

### Information printed on the glove :

Logo of the authorized representative :

Logo 


Glove's reference : N693

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

### Marking example :



### Method of marking on the glove :

Put on glove by printing a lable inside glove or print on the back

### Packaging :

Every one pairs put in one polybag, 12pairs in one big polybag, Every 10 bags put in one carton

## MEANS OF CONTROL

1. All raw materials we purchased from fixed factory, all materials must be accordant with EN420, such as the pH, Azo tests, etc.
2. We have 3 lines which are dipping, inspecting and packaging in the whole procedure, there are 2 supervisors for each line and daily report will be issued. Every worker has his/her own working number and be responsible for his/her product.
3. The management of dipping:
  - 3.1 The variety of raw material should be clearly separated.
  - 3.2 The mould for dipping should be stable and cleaned
  - 3.3 All dipping should be dipped by skilled worker
  - 3.4 After dipping, we have 2 people inspect the quality, avoid bad dipping, bad material etc.
4. The management of inspecting
  - 4.1 We check the printings on the glove very carefully which should be corresponding to the order sheet.
  - 4.2 We check the appearance very carefully.
  - 4.3 We will check the size of all the gloves, those bad size ones will be abandoned.
5. The management of packaging:
  - 5.1 We won't package those products which are not corresponding to the order sheet.
  - 5.2 We carefully count the number of gloves before packaging.
  - 5.3 We carefully put the gloves in the polybag, these poly bag all in good quality.
  - 5.4 We print the shipping mark on the carton according to the order.

## INSTRUCTION FOR USE

# NANTONG FOREIGN TRADE NATIVE PRODUCE & ANIMAL BY PRODUCTS CO.,LTD

41E QINGNIAN ROAD, NANTONG, JIANGSU

CHINA

Glove reference : N693

Available sizes : 7 8 9 10

### **Glove description :**

nitrile dipping glove

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### **Applicable standards :**


The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



#### Application :

Mechanical hazard - EN 388



4111

Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	1	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

### **Protection limit :**

*The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.*

*This glove shall not be in contact with fire.*

*Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.*

### **Storage and cleaning notice**

*Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.*